





---

 PRODUCT-DETAILS

# IS2-EC2080FC5K

## Control and Automation Board




---

### General Information

Extended Product Type	IS2-EC2080FC5K
Product ID	EC2080FC5K
EAN	8015646745149
Catalog Description	Control and Automation Board
Long Description	Blind door for double door version 2000x500mm (HxW)

---

### Technical

Standards	See code for structure
Configuration Type	3. Door
Enclosure Type	Kit - blind door with special profile for making double doors
Mounting Type	Kit
Product Type	5B5B20B230
Door Type	Double
Surface Finishing	Orange Peel, RAL 7035
Door Surface Finishing	Opaque
Material	Pickled steel sheet
Remarks	ETIM

RAL Number

RAL 7035 - Light Grey

---

## Material Compliance

RoHS Information	1STC860065
RoHS Date	20140108

---

## Environmental

Environmental Information	1STC804013D0209
---------------------------	-----------------

---

## Dimensions

Product Net Width	494 mm
Product Net Height	1996 mm
Product Net Depth / Length	46 mm
Product Net Weight	17.440 kg
Reference Depth/Length	400 mm 500 mm 600 mm 800 mm 1000 mm
Reference Height	2000 mm
Reference Width	1000 mm

---

## Ordering

Package Level 1 Units	1 piece
Package Level 1 Gross Weight	17.790 kg

---

## Certificates and Declarations

Declaration of Conformity - CE	1STC860113
--------------------------------	------------

---

## Installation

Instructions and Manuals	1STM604121R0006
--------------------------	-----------------

---

## Popular Downloads

Data Sheet, Technical Information	1STC804013D0209
-----------------------------------	-----------------

---

## Classifications

ETIM 8	EC000747 - Door/operating panel (enclosure/cabinet)
--------	---

ETIM 9	EC000747 - Door/operating panel (enclosure/cabinet)
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85381000
eClass	V11.1 : 27182204
Object Classification Code	U

---

## Categories

---

Low Voltage Products and Systems → Enclosures → Automation and Control Enclosures (System pro E control) → Enclosures - Baying (Horizontal Joining) → IS2

