




---

 PRODUCT-DETAILS

# IS2-EC2080FV8K

## Control and Automation Board




---

**General Information**

Extended Product Type	IS2-EC2080FV8K
Product ID	EC2080FV8K
EAN	8015646745262
Catalog Description	Control and Automation Board
Long Description	Glazed door for double door version 2000x800mm (HxW)

---

**Technical**

Standards	See code for structure
Configuration Type	3. Door
Enclosure Type	Kit - blind door with special profile for making double doors
Mounting Type	Kit
Product Type	5B5B20B240
Door Type	Double
Surface Finishing	Orange Peel, RAL 7035
Door Surface Finishing	Transparent
Material	Pickled steel sheet
Remarks	ETIM

RAL Number

RAL 7035 - Light Grey

---

## Material Compliance

RoHS Information	1STC860065
RoHS Date	20140108

---

## Environmental

Environmental Information	1STC804013D0209
---------------------------	-----------------

---

## Dimensions

Product Net Width	794 mm
Product Net Height	1996 mm
Product Net Depth / Length	46 mm
Product Net Weight	23.580 kg
Reference Depth/Length	400 mm 500 mm 600 mm 800 mm 1000 mm
Reference Height	2000 mm
Reference Width	1000 mm 1200 mm

---

## Ordering

Package Level 1 Units	1 piece
Package Level 1 Gross Weight	24.060 kg

---

## Certificates and Declarations

Declaration of Conformity - CE	1STC860113
--------------------------------	------------

---

## Installation

Instructions and Manuals	1STM604121R0006
--------------------------	-----------------

---

## Popular Downloads

Data Sheet, Technical Information	1STC804013D0209
-----------------------------------	-----------------

---

## Classifications

ETIM 8	EC000747 - Door/operating panel (enclosure/cabinet)
--------	---

ETIM 9	EC000747 - Door/operating panel (enclosure/cabinet)
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85381000
eClass	V11.1 : 27182204
Object Classification Code	U

---

## Categories

---

Low Voltage Products and Systems → Enclosures → Automation and Control Enclosures (System pro E control) → Enclosures - Baying (Horizontal Joining) → IS2

