



PRODUCT-DETAILS

KH100

KH800 380-400V 50Hz Operating Coil



KH550...KH800

General Information

Extended Product Type	KH100
Product ID	SK828100-AP
EAN	7320500021347
Catalog Description	KH800 380-400V 50Hz Operating Coil
Long Description	a.c. operated contactor coil

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Product Main Type	KH800

Popular Downloads

Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	5309660-30

CAD Dimensional
Drawing

2CDC001079B0201

Dimensions

Product Net Width	115 mm
Product Net Depth / Length	180 mm
Product Net Height	30 mm
Product Net Weight	0.95 kg

Technical

Rated Control Circuit Voltage (U _c)	50 Hz 380 ... 400 V 60 Hz 440 V
Suitable For	EH700 EH800 EK370 EK550 EK1000
Suitable for Product Class	Block Contactors

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CE	N/A
--------------------------------	-----

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	185 mm
Package Level 1 Depth / Length	120 mm
Package Level 1 Height	35 mm
Package Level 1 Gross Weight	0.99 kg
Package Level 1 EAN	7320500021347

Classifications

E-Number (Norway)	3220196
E-Number (Sweden)	3220196

ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
Object Classification Code	M
UNSPSC	39121000

Categories

Low Voltage Products and Systems → Control Products → Contactors → Service

Low Voltage Products and Systems → Control Products → Contactors → Service → Spares and Consumables



KH550...KH800