

**Content**

**1 Device – Revision Record – What is new? ..... 1**

1.1 Hardware ID: 3431 ..... 1

1.2 Firmware ..... 1

**2 DTM (Device Type Manager) ..... 1**

2.1 Supported devices ..... 1

2.2 DTM (driver) Version record - What is new? ..... 1

2.3 Requirements ..... 2

2.3.1 PC-Hardware, Operating system ..... 2

2.3.2 Frame application / compatibility ..... 2

2.4 Installation and configuration ..... 2

2.4.1 Installation ..... 2

2.4.2 Uninstall instructions ..... 2

2.5 Update- / Upgrade instructions ..... 2

2.6 Known problems and limitations ..... 2

2.7 Getting help / further information ..... 2

2.8 How to get the latest information & software? ..... 2

2.9 Licensing the DTM ..... 2

**3 EDD (Electronic Device Description) ..... 2**

3.8 Supported devices ..... 2

3.9 EDD Version record / What is new? ..... 2

3.10 Requirements ..... 2

3.10.1 Frame application / compatibility ..... 2

3.11 Installation and configuration ..... 2

3.12 Known problems and limitations ..... 2

3.13 Getting help / further information ..... 2

3.14 How to get the Software (driver)? ..... 2

**4 GSD ..... 3**

4.1 Supported devices ..... 3

4.2 GSD Version record - What is new? ..... 3

4.3 Requirements ..... 3

4.3.1 Frame application / compatibility ..... 3

4.4 Installation and configuration ..... 3

4.5 Known problems and limitations ..... 3

4.6 Getting help / further information ..... 3

4.7 How to get the latest information & software? ..... 3

**1 Device – Revision Record – What is new?**

**1.1 Hardware ID: 3431**

Released Revision	Released Date	Remarks
01.00.00	Nov. 2010	Initial release

**1.2 Firmware**

Released Revision	Released Date	Remarks
01.00.00	Nov. 2010	Initial release
01.00.01	Aug. 2011	Offline operation fix
01.01.01	Feb. 2012	Transmitter hardware fault issue fix

**2 DTM (Device Type Manager)**

**2.1 Supported devices**

- Electromagnetic Flowmeter FEV100 DP WaterMaster with HW Version 01.00.00 and SW Version 01.00.00 or higher.
- Electromagnetic Flowmeter FEF100 DP WaterMaster with HW Version 01.00.00 and SW Version 01.00.00 or higher.

**2.2 DTM (driver) Version record - What is new?**

Released driver Version	Released Date	Released bundle / Library Version	Remarks
05.00.00	Dec. 2010	≥ 05.02.00 / ≥ 05.00.16	- Initial release - Part of the DTM500 Bundle
05.00.01	Jun. 2011	≥ 05.03.00 / ≥ 05.00.17	- DTM500 Library enhancements
05.00.02	Sep. 2012	≥ 05.04.00 / ≥ 05.00.18	- DTM500 Library enhancements
05.00.03	May 2014	≥ 05.04.00 / ≥ 05.00.21	New DTM library for Compatibility with Win 8.1 and Win 2012 and 64 bits Operating systems  Bugfixes: - Issue with DTM not appearing in catalog in certain Win 7 64 bit systems. - Error message on adding to network, in 64 bit systems when installation language is 'German'.

05.00.04	April 2017	≥ 05.05.00 / ≥ 05.00.22	New DTM library for "Observer role" in DCS
05.00.05	March 2019	≥ 05.05.00 / ≥ 05.00.22	For DCS

- The device DTM supports the standard FDT 1.2 / 1.2.1.

**2.3 Requirements**

**2.3.1 PC-Hardware, Operating system**

See DTM500 Bundle Supplement Info\*)

**2.3.2 Frame application / compatibility**

See DTM500 Bundle Supplement Info\*)

**2.4 Installation and configuration**

**2.4.1 Installation**

See DTM500 Bundle Supplement Info\*)

**2.4.2 Uninstall instructions**

See DTM500 Bundle Supplement Info\*)

**2.5 Update- / Upgrade instructions**

See DTM500 Bundle Supplement Info\*)

**2.6 Known problems and limitations**

Additionally to the common hints in the DTM500 Bundle Supplement Info\*) attached the device driver specific hints.

- **Function Block Simulation form has been disabled due to issue** with returning of device to original target mode. Update expected to coincide with new library release in February.
- **Installation of version 05.00.04**  
 UNINSTALL 05.00.03 (IF ALREADY INSTALLED) BEFORE INSTALLING 05.00.04.  
 In case of upgrade attempt, DTM will fail to install properly. To recover from this, refer to "!\Instructions for upgrade.txt" in installation Zip-File

**2.7 Getting help / further information**

- Press 'F1' for DTM online help.
- Help concerning the integration of the DTM in the FDT frame application can be found in the respective documentation of the frame application.

**2.8 How to get the latest information & software?**

The latest device driver Supplement Info & software (driver) is available on [www.abb.com/fieldbus](http://www.abb.com/fieldbus):

- latest information [*field device protocol dependent*]
- latest info (download) [*device type dependent*]
- Driver description
- Software [*driver type dependent*]

**2.9 Licensing the DTM**

See DTM500 Bundle Supplement Info\*)

**3 EDD (Electronic Device Description)**

**3.8 Supported devices**

- Electromagnetic Flowmeter FEV100 DP WaterMaster with HW Version 01.00.00 and SW Version 01.00.00 or higher.
- Electromagnetic Flowmeter FEF100 DP WaterMaster with HW Version 01.00.00 and SW Version 01.00.00 or higher.

**3.9 EDD Version record / What is new?**

Released Version	Released Date	Remarks
01.00.00	Dec. 2010	Initial release

**3.10 Requirements**

**3.10.1 Frame application / compatibility**

Siemens Simatic PDM ≥ v6.0.

**3.11 Installation and configuration**

Start your Frame application and follow the instructions.

**3.12 Known problems and limitations**

- Textual unit definitions are not supported by the PI EDD library.

**3.13 Getting help / further information**

- Help concerning the integration of the driver in the frame application can be found in the respective documentation of the frame application.

**3.14 How to get the Software (driver)?**

Available as a catalogue update from the Siemens website.

## 4 GSD

### 4.1 Supported devices

- Electromagnetic Flowmeter FEV100 DP WaterMaster with HW Version 01.00.00 and SW Version 01.00.00 or higher.
- Electromagnetic Flowmeter FEF100 DP WaterMaster with HW Version 01.00.00 and SW Version 01.00.00 or higher.

### 4.2 GSD Version record - What is new?

Released Version	Released Date	Remarks
01.00.00	Dec. 2010	Initial release

### 4.3 Requirements

#### 4.3.1 Frame application / compatibility

For all certified PROFIBUS Frame applications by PI (PROFIBUS International)

### 4.4 Installation and configuration

Start your Frame application and follow the instructions.

### 4.5 Known problems and limitations

- None known

### 4.6 Getting help / further information

- Help concerning the integration of the driver in the frame application can be found in the respective documentation of the frame application.

### 4.7 How to get the latest information & software?

The latest device driver Supplement Info & software (driver) is available on [www.abb.com/fieldbus](http://www.abb.com/fieldbus):

- latest information [*field device protocol dependent*]
- latest info (download) [*device type dependent*]
  - Driver description
  - Software [*driver type dependent*]

**ABB has Sales & Customer Support  
expertise in over 100 countries worldwide.**

<http://www.abb.com/instrumentation>

The Company's policy is one of continuous product improvement and the right is reserved to modify the information contained herein without notice.

Printed in the Fed. Rep. of Germany (03.2019)

© ABB 2019

3KXF200104R3901 Rev. F



**Germany**

**ABB Automation Products GmbH**  
Borsigstr. 2  
63755 Alzenau

Tel: +49 (0)551 905-534  
Fax: +49 (0)551 905-555

[vertrieb.instrumentation@de.abb.com](mailto:vertrieb.instrumentation@de.abb.com)

**USA**

**ABB Inc.**  
125 E. County Line Road  
Warminster, PA  
18974-4995

Tel: +1 (0)215 674 6000  
Fax: +1 (0)215 674 7183

[instrumentation@us.abb.com](mailto:instrumentation@us.abb.com)

**Italy**

**ABB S.p.A.**  
Via Statale 113  
22016 Lenno (CO)

Tel: +39 0344 58111  
Fax: +39 0344 56278

[abb.instrumentation@it.abb.com](mailto:abb.instrumentation@it.abb.com)

**UK**

**ABB Limited**  
Oldends Lane  
Stonehouse  
Gloucestershire GL10 3TA

Tel: +44 (0)1453 826 661  
Fax: +44 (0)1453 829 671

[instrumentation@gb.abb.com](mailto:instrumentation@gb.abb.com)

**P.R. China**

**ABB Engineering (Shanghai) Ltd.**  
32 Industrial Area  
Kangqiao Town, Nanhui District  
Shanghai, 201319

Tel: +86 (0) 21 6105 6666  
Fax: +86 (0) 21 6105 6677

[china.instrumentation@cn.abb.com](mailto:china.instrumentation@cn.abb.com)